

# ITF8203

## OLYMPIC INCLINE BENCH OWNER'S MANUAL

---

25A

**CAUTION!** Read all precautions and instructions in this manual before using this equipment.

# Table Of Contents

## CAUTION!

Read all precautions and instructions in this manual before using this equipment.

Important Safety Instructions-----	3
Instructions-----	5
Exploded View and Parts List-----	6
Measurement Guide-----	13
Assembly Instructions-----	14
Assembly-----	15
Adjust Instructions and Exercise Instructions-----	18
Maintenance Schedule-----	19
General Maintenance Information-----	20
Weight Training Tips-----	21

---

# Important Safety Instructions

Before beginning any fitness program, you should obtain a complete physical examination from your physician. When using exercise equipment, basic precautions should always be taken, including the following:

1. Read all instructions before using the equipment.  
These instructions are written to ensure your safety and to protect the unit.
2. Use the equipment only for its intended purpose as described in this guide.  
Do not use accessory attachments that are not recommended by the manufacturer: such attachments might cause injuries.
3. The product should only be used on a level surface and is with 0.6 meters space around the product.  
Do not use the equipment outdoors.
4. Do not allow children on or near the equipment. And children are not allowed to use this equipment.  
Teenagers should use this equipment with adult supervision.
5. Do not overexert yourself or work to exhaustion.  
Do not attempt to lift more weight than you can control safely.  
If you feel any pain or abnormal symptoms, stop your workout immediately and consult your physician.
6. This equipment is not used as medical apparatus and instruments.
7. Never operate the unit when it has been dropped or damaged.  
Never drop or insert anything into any opening in the equipment.  
Always check the unit and its cables before each use. Make sure that all fasteners and cables are secure and in good working condition.  
Frayed or worn cables can be dangerous and may cause injury. Periodically check these cables for any indication of wear.  
Keep hands, limbs, loose clothing and long hair well out of the way of moving parts.
8. Be careful when getting on or off the equipment.
9. Wear proper exercise clothing and shoes for your workout, no loose clothing.


# Important Safety Instructions

## Personal Safety During Assembly

Read each step in the assembly instructions and follow the steps in sequence. Do not skip ahead. If you skip ahead, you may learn later that you have to disassemble components and that you may have damaged the equipment.

Assemble and operate the equipment on a solid, level surface. Locate the unit a few feet from walls or furniture to provide easy access. The equipment is designed for your enjoyment. By following these precautions and using common sense, you will have many safe and pleasurable hours of healthful exercise with the equipment.

## Training Area and Free Area



## Specifications

Class: S

Maximum User Weight: 150kg/ 330lbs

Maximum Training Load: 220kg/ 485lbs

Maximum Weight Load For Each

Storage Horn: 100kg/ 220lbs

Product Dimension: 1718\*1858\*1450mm

Product Total Surface: 1718\*1858mm


Product Total Mass:

# Instructions

Before beginning assembly please take the time to read instructions thoroughly. Please use the various lists in this manual to make sure that all parts have been included in your shipment. When ordering, use part number and description from the lists. Use only our replacement part when servicing. Failure to do so will void your warranty and could result in personal injury.

The equipment is designed to provide the smoothest, most effective exercise motion possible. After assembly, you should check all functions to ensure correct operation. If you experience problems, first recheck the assembly instructions to locate any possible errors made during assembly. If you are unable to correct the problem, call your authorized dealer. Be sure to have your serial number and this manual when calling. When all parts have been accounted for, continue on.

## Tools Required




Ratchet Wrench and Socket



Adjustable Wrench



Rubber Mallet



Hex Key Wrench Set



Phillips Screwdriver


# Exploded View and Parts List

## Overall

ItemNo.	Part No.	Description	QTY
1	ITF820303ASSY	Pedal Frame ASSY	1
2	ITF820305ASSY	Back Cushion Frame ASSY	1
3	ITF820306ASSY	Seat Cushion Frame ASSY	1
4	ITF82020200	Connecting Frame	1
5	ITF82012300	Foot Board	1
6	ITF820204ASSY	Barbell Frame ASSY	4
7	ITF82020203	Connecting Arc I 170	2
8	L050PB1800	Foot cushion	1
9	ITF820301ASSY	Side Stand Frame I ASSY	1
10	ITF820302ASSY	Side Stand Frame II ASSY	1
11	ITF820304ASSY	Foot Support Frame ASSY	1
12	ITF81025100	Head Cushion	1
13	ITF82015100	Back Cushion	1
14	ITF81025200	Seat Cushion	1
15	GB70BTM10*35DN18	Socket Head Cap Screw M10*35	9
16	GB70BTM12*30DN18	Socket Head Cap Screw M12*30	4
17	GB70BTM10*80DN18	Socket Head Cap Screw M10*80	8
18	GB70BTM10*130DN18	Socket Head Cap Screw M10*130	6
19	CNLM10*70DN20	Flat Head Cap Screw M10*70	3
20	GB9512DN2	Flat Washer $\Phi 13*\Phi 24*2.5$	4
21	HDQ10DN2	Curved Washer $\Phi 11*\Phi 21*1.5$	12
22	GB9510DN2	Flat Washer $\Phi 11*\Phi 20*2$	27
23	GB9310N19	Spring Washer $\Phi 10$	8
24	GB9312N19	Spring Washer $\Phi 12$	4
25	NM10DN2	Nylon Lock Nut M10	17
26	HF985A1500	Buffer Pad $\Phi 76*\Phi 42*25$	4
27	NBS6DHS	Hex Key S=6	1
28	NBS8DHS	Hex Key S=8	1


# Exploded View and Parts List

## Overall



# Exploded View and Parts List

## Back Cushion Frame ASSY




GradeNo.	Part No.	Description	QTY
2.1	ITF82030500	Back Cushion Frame	1
2.2	ITF88013100	Pipe Plug	1
2.3	ITF88023100	Floor Mat	2
2.4	IT95014500	Adjusting Handle Frame	1
2.5	CWRVL0012200	Plug Pin Shaft	1
2.6	AXT3S5500	Torsion Spring	1
2.7	GB894.18FH12	Retaining RingΦ8	2
2.8	GB17880.5M6*16.5DHS17	Hexagon Rivet Nuts With Flat HeadM6*16.5	2
2.9	GB956DHS2	Flat Washer Φ6.6*Φ12*1.6	2
2.10	PNLM6*20DHS20NL	Button Head Cap Screw M6*20	2
2.11	GB70M6*10N19	Socket Head Cap Screw M6*10	1
2.12	IT95014300V2	Aluminum Tube Guide	1
2.13	IT95016300	Plastic Corner Tube Glide	4
2.14	IT95016200PBC	Plastic Tube Plug	2

# Exploded View and Parts List

## Seat Cushion Frame ASSY

## Barbell Frame ASSY




GradeNo.	Part No.	Description	QTY
3.1	ITF82030600	Seat Cushion Frame	1
3.2	IN-D10134200	Pipe plug $\square 30 \times 70$	1

GradeNo.	Part No.	Description	QTY
4.1	ITF82020400	Barbell Frame	1
4.2	BB-SQ3900	Barbell Casing $\Phi 50 \times \Phi 42.1 \times 225$	1
4.3	IFP12013500	Pipe Plug $\Phi 49 \times \Phi 37 \times 25$	1

# Exploded View and Parts List


## Side Stand Frame I ASSY



GradeNo.	Part No.	Description	QTY
9.1	ITF82030100	Side Stand Frame I	1
9.2	ITF88013200	Floor Mat	2
9.3	ITF88013100	Pipe Plug	1
9.4	GB17880.5M10*19.5DS17	Hexagon Rivet Nuts With Flat HeadM10*19.5	5
9.5	ITF82023100	End Plastic Sheath	2
9.6	ITF82023400	Long Plastic Sheath	1
9.7	ITF82023500	Plate Plastic Sheath	2
9.8	GB70BTM10*30DHS18	Socket Head Cap Screw M10*30	5
9.9	GB956DHS2	Flat Washer $\Phi 6.6 \times \Phi 12 \times 1.6$	4
9.10	PNLM6*20DHS20NL	Button Head Cap Screw M6*20	4

# Exploded View and Parts List


## Side Stand Frame II ASSY




GradeNo.	Part No.	Description	QTY
10.1	ITF82030200	Side Stand Frame II	1
10.2	ITF88013200	Floor Mat	2
10.3	ITF88013100	Pipe Plug	1
10.4	GB17880.5M10*19.5DS17	Hexagon Rivet Nuts With Flat HeadM10*19.5	5
10.5	ITF82023100	End Plastic Sheath	2
10.6	ITF82023400	Long Plastic Sheath	1
10.7	ITF82023500	Plate Plastic Sheath	2
10.8	GB70BTM10*30DHS18	Socket Head Cap Screw M10*30	5
10.9	GB956DHS2	Flat Washer $\Phi 6.6 \times \Phi 12 \times 1.6$	4
10.10	PNLM6*20DHS20NL	Button Head Cap Screw M6*20	4

# Exploded View and Parts List

## Pedal Frame ASSY





## Foot Support Frame ASSY



GradeNo.	Part No.	Description	QTY
1.1	ITF82030300	Pedal Frame	1
1.2	KF18606200	Pipe plug □50.8	2

GradeNo.	Part No.	Description	QTY
11.1	ITF82030400	Foot Support Frame	1
11.2	ITF88013200	Floor Mat	2
11.3	GB956DHS2	Flat Washer $\Phi 6.6 * \Phi 12 * 1.6$	4
11.4	PNLM6*12DHS20NL	Button Head Cap Screw M6*12	4

# Measurement Guide



Diameter of bolt (mm/inch)	M6(1/4")	M8(5/16")	M10(3/8")	M12(1/2")	M16(5/8")
Tightening torque (N.m)	9~12	22~30	45~59	78~104	193~257
Operational methods for adult men	The strength of the wrist	The strength of the wrist and forearm	The strength of the entire arm	The strength of the arm and upper body	with all strength

# Assembly Instructions

Assembly of the equipment takes professional installers about 2 hours. If this is the first time you have assembled this type of equipment, plan to spend more time. It is strongly recommended to assemble the equipment by professional installers. You may find it quicker, safer, easier to assemble this equipment with the help of a friend, as some of components may be large, heavy or awkward to handle alone. It is important that you assemble your product in a clean, clear, uncluttered area. This will enable you to move around the product while you are fitting components and reduce the possibility of injury during assembly.

## **NOTE**

As with any assembled part, proper alignment and adjustment is critical. While tightening the fasteners, be sure to leave room for adjustments. Do not fully tighten the fasteners until instructed to do so. Be careful to assemble the components in the sequence presented in this guide.

# Assembly

## STEP 1

Attach one Side Stand Frame I ASSY (#9) and one Side Stand Frame II ASSY (#10) to one Connecting Frame (#4), using:

Four M10\*80 Socket Head Cap Screw (#17)


Eight  $\Phi 11*\Phi 20*2$  Flat Washer (#22)

Eight M10 Nylon Lock Nut (#25)

Four M10\*130 Socket Head Cap Screw (#18)

Eight  $\Phi 11*\Phi 21*1.5$  Curved Washer (#21)


**Note: Finger Tighten All Bolts and Nylon Lock Nuts.**



# Assembly

## STEP 2

1. Attach one Back Cushion Frame ASSY (#2) and one Pedal Frame ASSY (#1) to one Connecting Frame (#4), using:
  - Two M10\*80 Socket Head Cap Screw (#17)
  - Four  $\Phi 11*\Phi 20*2$  Flat Washer (#22)
  - Four M10 Nylon Lock Nut (#25)
  - Two M10\*130 Socket Head Cap Screw (#18)
  - Four  $\Phi 11*\Phi 21*1.5$  Curved Washer (#21)
2. Attach one Foot Board (#5) and one Foot Support Frame ASSY (#11) to one Pedal Frame ASSY (#1), using:
  - Three M10\*70 Flat Head Cap Screw (#19)
  - Seven  $\Phi 11*\Phi 20*2$  Flat Washer (#22)
  - Five M10 Nylon Lock Nut (#25)
  - Two M10\*80 Socket Head Cap Screw (#17)
3. Attach one Foot cushion (#8) to one Foot Board (#5).




# Assembly

## STEP 3

1. Attach one Back Cushion (#13) and one Head Cushion (#12) to one Back Cushion Frame ASSY (#2), using:  
Six M10\*35 Socket Head Cap Screw (#15)    Six  $\Phi$ 10 Spring Washer (#23)  
Six  $\Phi$ 11\* $\Phi$ 20\*2 Flat Washer (#22)
2. Attach four Barbell Frame ASSY (#6) to one Side Stand Frame I ASSY (#9) and one Side Stand Frame II ASSY (#10), using:  
Four M12\*30 Socket Head Cap Screw (#16)    Four  $\Phi$ 12 Spring Washer (#24)  
Four  $\Phi$ 13\* $\Phi$ 24\*2.5 Flat Washer (#20)    Four  $\Phi$ 76\* $\Phi$ 42\*25 Buffer Pad (#26)
3. Attach one Seat Cushion Frame ASSY (#3) to one Back Cushion Frame ASSY (#2), using:  
One M10\*35 Socket Head Cap Screw (#15)
4. Attach one Seat Cushion (#14) to one Seat Cushion Frame ASSY (#3), using:  
Two M10\*35 Socket Head Cap Screw (#15)    Two  $\Phi$ 10 Spring Washer (#23)  
Two  $\Phi$ 11\* $\Phi$ 20\*2 Flat Washer (#22)

**Note: Wrench Tighten All Bolts.**




# Adjust Instructions and Exercise Instructions

## Seat Pad adjustment

1. Push the Adjusting handle and adjust the Seat Cushion to the desired position.
2. Make sure that the pin gets into the hole completely.

## Exercise Instructions

1. Lie on pad and do chest press with barbell.
2. The total weight can not be greater than 220kg.
3. This equipment does not contains Barbell and Weight Plate.



# Maintenance Schedule

ROUTINE	COMMERCIAL MAINTENANCE	HOME MAINTENANCE	LATEST DATE ENTRY					
Inspect; Links, Pull Pins, Snap Locks, Swivels, Weight Stack Pins	DAILY	WEEKLY						
Clean; Upholstery	DAILY	WEEKLY						
Inspect; Cables or Belts and their tension	DAILY	WEEKLY						
Inspect; Accessory Bars, and Handles	WEEKLY	3 MONTHS						
Inspect; All Decals	WEEKLY	3 MONTHS						
Inspect; All Nuts and Bolts, Tighten if needed	WEEKLY	3 MONTHS						
Inspect; Anti-Skid Surface	WEEKLY	3 MONTHS						
Clean & Lubricate; Guide Rods with a Teflon (PTFE) based lubricant (Superlube)	MONTHLY	3 MONTHS						
Lubricate; Seat Sleeves, Turcite Bushings, Linear Bearing	MONTHLY	3 MONTHS						
Clean and Wax; All Glossy Finishes	6 MONTHS	YEARLY						
Repack with Grease; Linear Bearings	6 MONTHS	YEARLY						
Replace; Cables, Belts and Connecting Parts	YEARLY	3 YEARS						

*Your equipment comes with a commercial maintenance decal. For personal, in home use, please follow the home maintenance schedule listed above.*

# General Maintenance Information

## **Links, Pull-Pins, Snap Hooks, Swivels, Weight Stack Pins:**

- \* Check all pieces for signs of visible wear or damage.
- \* Check springs in snap hooks and pull-pins for proper tension and alignment.
- \* If the spring sticks or has lost its rigidity, replace it immediately.

## **Upholstery:**

- \* To ensure prolonged upholstery life and proper hygiene, all upholstered pads should be wiped down with a damp cloth after every workout.
- \* Periodically take the time to use a mild soap or an approved vinyl upholstery cleaner to deter the onset of cracking or drying. Avoid using any abrasive cleaners or cleaners not intended for use on vinyl.
- \* Replace ripped or worn upholstery immediately.
- \* Keep sharp or pointed objects clear of all upholstery.

## **Decals:**

- \* Inspect and familiarize yourself with any safety warnings or other user information posted on each decal.

## **Nuts and Bolts:**

- \* Inspect all nuts and bolts for any loosening and tighten if needed.
- \* Go through a re-tightening sequence periodically to ensure that all hardware is tensioned proper.

## **Anti-Skid Surfaces:**

- \* These surfaces are designed to supply secure footing and need to be replaced if they appear worn or become slippery.

## **Belts and Cables:**

- \* We use only high quality belt, and mil-spec cables.
- \* Visually inspect the belts and cables for fraying, cracking, peeling or discoloration.
- \* While the machine is not in use, carefully run your fingers along the belt or cable to feel for thinning or bulging areas.
- \* Replace belts and cables immediately at the first signs of damage or wear. Do not use equipment until belts or cables have been replaced.

## **Belt and Cable Tension:**

- \* Referring to the Owners Manual, when belts or cables are used check all bolts attachments to be sure they are properly attached.
- \* Check slack in cables and re-adjust cable tension if needed.

## **Seat Sleeves, Guide Rods:**

- \* Wipe down adjusting tubes with a dust free rag before applying lubricant.
- \* Lubricate seat sleeves and Guide Rods with a Silicon or Teflon based lubricant spray.

## **Linear Bearings:**

- \* Referring to the Owners Manual carefully disassemble the bearing from its housing and place a finger full of light grease (lithium, super lube, etc.) into the inside of the bearing. Using your finger, press the grease into the ball-bearings and their tracks. Repeat until the ball-bearing tracks are full of grease. Insert the shaft back into the bearing and wipe off excess grease.

**PLEASE KEEP THIS FOR YOUR RECORDS**

## Weight Training Tips

Use this manual to guide you through the basic exercises you can perform on your equipment. To gain maximum results and avoid possible injury, consult a fitness professional to develop your complete exercise program.

Always consult your physician before starting any exercise program.

To be successful in your exercise program, it is important to develop an understanding of the basic principles of strength training. Now that you have your equipment, it is only natural that you want to get started immediately. First, determine a set of realistic goals and objectives for yourself. By deciding on an exercise plan that is right for you prior to starting, you will contribute significantly to your success.

Warm up properly before engaging in weight resistance training. Stretching, yoga, jogging, calisthenics or other cardiovascular exercise can help prepare your body for the heavier workload of lifting weights.

Learn how to perform the exercise correctly before using heavy weight. Correct form is important to avoid injury and to ensure that you work the proper muscle groups.

Know your limitations. If you are new to weight training or are embarking on an exercise regimen after a long layoff, start slowly and build foundational strength over a longer period of time.

Pay attention to your breathing. Exhale when you exert is a general rule of thumb. Never hold your breath.

